DESKTOP D	OCKING STATION	
CONTROLLEMENT OF THE CONTROLLE	* 11.6 inches touch screen, Resolution: 1920*1080P, 10TB storage, 1HDD * Support 6 Channels body cameras data uploading and recharging simultaneously * Support first priority upload specific channel * 1.5hrs for data upload time at most, 3hrs at most for all body cameras fully charged * Support breakpoint continuingly, Storage empty automatically, Autoarchiving, Cycle storage, Intelligent storage, Quick search/output/delete, Video playback, Time synchronization etc * High security level protection, only authorized user can access to the device	
Items	* Support Windows7, Windows8, Windows10 operating systems S1	
Data Management	31	
	Compart actions about all for unlocations data first priority.	
Priority Upload	Support setting channel for uploading data first priority	
Data Upload time	Industrial HUB, total 1.5hrs at most for uploading all 32GB body cameras simultaneously	
Breakpoint Continuingly	Support (body camera data won't be lost while stopping transmission suddenly)	
Storage Empty	Body camera data will be empty after uploading finished	
Auto-archiving	Data will auto-archiving in terms of user and date after uploading finished	
Cycle Storage	The system will clean up all data automatically by setting a certain time, and free-up storage space for new data	
Intelligent Storage	System will auto overwrite data in bulk by setting a certain time based on different level files	
Quick Search	The authorized user can search any files based on user, file type, recording date, remark info etc.	
Video Playback	Video playback in local	
Data Output/Delete	The authorized user can download/delete data in bulk from device	
Device Management		
Unattended Operation	All operations will be finished automatically while connecting with body camera, like data upload, storage empty and body camera recharge etc. working stable 7*24hrs	
Time Synchronization	Support time synchronization automatically for body camera while connecting device	
Auto-recharge	Data acquisition devices can be charged at the same time, saving charging time (3hrs at most for all body cameras fully charged)	
Status Display	It will display body camera's ID, device storage space, loading status etc. while data uploading	
Fault Alarm	It will alarm automatically when detecting fault for hard disk, or low memory etc.	
User Management	Creating user ID, authorization, user deletion etc.	
Log Recording	System will record all operation log of body camera and device	
Privilege Management	Only authorized user has permission to modify the system configuration and file search, video playback, data backup etc.	
Stand Alone Version	Device can be used without any network	
Upgrade	Support upgrade from stand-alone version to network version with DEMS(Digita Evidence Management System)	

DESKTOP DOCKING STATION



- * 11.6 inches touch screen, Resolution: 1920*1080P, 10TB storage, 1HDD
- * Support 6 Channels body cameras data uploading and recharging simultaneously
- * Support first priority upload specific channel
- * 1.5hrs for data upload time at most, 3hrs at most for all body cameras fully charged
- * Support breakpoint continuingly, Storage empty automatically, Autoarchiving, Cycle storage, Intelligent storage, Quick search/output/delete, Video playback, Time synchronization etc
- * High security level protection, only authorized user can access to the device

	* Support Windows7, Windows8, Windows10 operating systems
Items	S1
Hardware	
Size	31*22*7cm
Weight	3KG
Screen	11.6 inches touch screen, resolution: 1920*1080P, 800*600P, Proportion: 16:9
RAM	DDR3 1333MHz, 4GB (expand memory up to 8GB for optional)
HDD Storage	10TB, 1HDD
Main Control Board	Intel Industrial grade, working stable in 7*24hrs
CPU	Dual-core Intel 2C/4T, 2.4GHz
Data Interface	6 ports (USB connection, support recharge), Max output power 10A, 48Mbps, enable customized extend ports
Operating System	Windows7, Windows8, Windows10
Video output Port	VGA/HDMI
Network Port	RJ45
Audio Port	Support
USB Port	6 USB 2.0, industrial HUB, ensure data transmission stability and rapidity
Voltage	Input: AC100V-240V~50~60Hz; Output: 12V
Working Temperature	0°C-60°C
Storage Temperature	-40°C-80°C
Storage Humidity	20%-80%
Accessories	Charge cable, Adapter, CD, Manual